

Available Online at http://www.recentscientific.com

CODEN: IJRSFP (USA)

International Journal of Recent Scientific Research Vol. 14, Issue, 12, pp.4378-4381, December, 2023 International Journal of Recent Scientific Rerearch

DOI: 10.24327/IJRSR

Research Article

GREEN APPROACH TO KNOEVENAGEL CONDENSATION USING GUAVA LEAF EXTRACT AS A CATALYST

Balamurugan. A*,^a Mahalakshmi. M^b and Rama. M^b

^aDepartment of Chemistry, School of Arts and Science, Sri Manakula Vinayagar Engineering College, Madagadipet, Puducherry- 605 107, India

^bDepartment of Chemistry, Theivanai Ammal College for Women, Villupuram, Tamilnadu - 605 602, India

DOI: http://dx.doi.org/10.24327/ijrsr.20231412.0822

ARTICLE INFO

ABSTRACT

Article History:

Received 15thOctober, 2023 Received in revised form 28th October, 2023 Accepted 16thNovember, 2023 Published online 28thDecember, 2023 This research emphasizes the development of environmentally friendly methods in organic synthesis, focusing on the Knoevenagel condensation reaction. Utilizing guava leaf extract as a natural catalyst, we aim to present a green and economically viable approach to the synthesis of Knoevenagel products.

Keywords:

Knoevenagel Condensation, Guava Leaf Extract, Natural Catalyst, Malononitrile

Copyright[©] The author(s) 2023, This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

A Knoevenagel condensation reaction has been utilized for synthesis with biological applications¹. This condensation has been reported using various cabatalysts²⁻⁷, microwave-assisted reactions⁸, ultrasound irradiation⁹⁻¹⁰, technology-based approaches¹¹⁻¹², solid-phase methods¹³⁻¹⁴, ionic liquids¹⁵⁻¹⁶, and green solvents like water¹⁷⁻¹⁸.

Nitriles serve as versatile intermediates in the synthesis of a variety of products. Unsaturated nitriles play a pivotal role in various pathways proposed for the prebiotic synthesis of various products¹⁹. Acrylonitriles also demonstrate cytotoxic, antiproliferative, and antitubercular activities, thereby playing a crucial role in biological systems²⁰. From a biological perspective, some cyclic and conjugated nitriles have been prepared using Knoevenagel condensation^{21,22}. Several Knoevenagel condensation reactions employing natural catalysts, such as Henna leaves²³, clay²⁴⁻²⁶, and various fruit juices, have been reported due to the acidic nature of aqueous fruit juices like lemon²⁷, pineapple²⁸, and tamarind Indica²⁹. Recently the waste material as, natural catalysts used in Knoevenagel reactions include agro-waste extract³⁰ and wetcopper slag³¹. The current study aims to address these aspects by investigating the potential of green catalysts, with a focus on ethanol as an eco-friendly solvent. This research aligns with contemporary imperatives, emphasizing sustainable,

economically viable, and environmentally benign synthetic routes.

MATERIAL AND METHODS

Preparation of extract of guava leaf

Collection and Washing of Guava Leaves

Fresh guava leaves were meticulously collected and rinsed thoroughly with distilled water. (Fig-1)

Drying and Powdering

The washed guava leaves were subjected to drying until complete desiccation. Post-drying, the leaves were finely powdered using a mortar and pestle.

Extraction Procedure

A 5g quantity of the powdered guava leaf was transferred to a 250ml conical flask. To this flask, 50ml of methanol was added. The mixture was then stirred rigorously using a mechanical stirrer for duration of one hour.

Filtration and Catalyst Preparation

Following the stirring process, the mixture was filtered through filter paper to obtain the guava leaf extract. This extract served as the primary catalyst for subsequent reactions.

^{*}Corresponding author: Dr. Balamurugan. A

General procedure for condensation of aromatic aldehydes with malonitrile

All chemicals utilized in the experiments were procured from reputable suppliers, namely Sigma Aldrich and S.D. Fine Chemicals. These chemicals were employed without the need for additional purification.

In a conical flask, aromatic aldehyde (10 mmol), malononitrile (10 mmol), 2ml of the prepared guava leaf extract, and 10ml of ethanol were meticulously added. The mixture was subjected to stirring using a magnetic stirrer at room temperature. Progress of the reaction was continuously monitored using Thin Layer Chromatography (TLC) until its completion. Upon completion of the reaction, the resultant solid (crude product) was isolated by filtration. This solid was further purified through the recrystallization process using ethanol as the solvent, ensuring the removal of impurities.



Fig. 1 Preparation of knoevenagal products using Guava Leaves Extract

CHARACTERIZATION TECHNIQUES

FTIR Spectroscopy

Infrared spectra of the synthesized compounds were obtained using an 8700 SHIMADZU model FTIR spectrometer. The samples were prepared as KBr discs for analysis.

NMR Spectroscopy

Both 1H and 13C NMR spectra were recorded at room temperature utilizing a 400 MHz Fourier Transform NMR spectrometer. For 1H NMR, about 10 mg of the sample was dissolved in 0.5 ml of chloroform-d containing a few drops of TMS as an internal reference. Similarly, for 13C NMR, 0.5g of the compound was dissolved in 2.5ml of chloroform-d with TMS serving as the internal reference.

RESULTS AND DISCUSSION

The Knoevenagel condensation, a pivotal carbon-carbon bondforming reaction, has been extensively studied due to its versatility in organic synthesis. In this study, a novel, efficient, and environmentally benign method employing guava leaf extract as a catalyst for the Knoevenagel condensation between malononitrile and some aromatic aldehydes has been presented.

Efficacy of Guava Leaf Extract as a Catalyst

Guava leaf extract, a natural source rich in various organic acids and bioactive compounds, has been traditionally known for its medicinal properties. Kim et al.³² identified constituents like ascorbic acid, citric acid, epicatechin, and various other acids in guava leaves. The acidic nature of this extract makes it a potential candidate to catalyze reactions, especially the Knoevenagel condensation. Our findings corroborate this hypothesis, where the guava leaf extract demonstrated remarkable catalytic activity, facilitating the condensation reaction in excellent yields at room temperature within minutes. (Scheme 1)



Scheme -1

Characterization of Products

The synthesized compounds 2-(phenylmethylene) malononitrile(1), 3-(phenyl allylidine) malononitrile (2),2-(4-methoxy benzylidine) malononitrile(3) were rigorously characterized employing a plethora of spectroscopic techniques, including IR and NMR spectroscopy. The authenticity of the synthesized products was confirmed by comparing their melting points, IR data, and NMR spectra with the literature values²³. Table 1 show the formation of high yield and melting points are good agreement with the literature.

Table1.Physical data of compounds 1-3

	Nature of product	Yield (%)	Time (Minutes)	Melting point	
Compound				m.pt (°C)	Reported (°C)
1	White crystal	95	2	81	80- 82
2	Yellow crystal		5	127	126-128
3	Green crystal	88	5	114	112-114

At room temperature the high yields were obtained within 2-5 minutes by using magnetic stirrer. The reactions were monitored by thin layer chromatographic techniques. The melting of the all the compounds are good agree with literature.

IR Spectral Analysis

Infrared (IR) spectroscopy provided valuable insights into the functional groups present in the synthesized compounds. **Table** .2 shows IR data of compounds 1-3.

Table .2 IR data of compounds 1-3

Compounds	Frequencies(cm ⁻¹)		
1	3032, 2226, 1448, 1220, 1591,614,		
2	3032, 2226, 1605, 1448, 1227, 863, 685		
3	3032, 2218.1883,1555,1448,934,834		

The data showed absorption at 2187- 2226 cm⁻¹ the presence of CN functional group in the products. These characteristic peaks further validated the successful formation of the desired Knoevenagel products, with the absence of a peak around 1720 cm⁻¹, indicating the absence of the carbonyl group.

NMR Spectroscopic Analysis

Both 1H and 13C NMR spectroscopy were employed to elucidate the structural features of the synthesized products. **Table. 3** shows H^1 NMR data and Table .4 shows ${}^{13}C$ NMR data of compounds **1-3**.

Comp ound	=CH proton (ppm)	Aromatic protons (ppm)	-OCH ₃ proton (ppm)
1	7.8 s [1H]	7.91 d [2H] 7.56 -7.6 m [3H]	-
2	7- 8 ppm	-	
3	7.7 s [1H]	7.01 d [2H] 7.92 d [2H]	3.91 [3H]

Table .3 H¹ NMR data of compounds 1-3

Table .3¹³C NMR data of compounds 1-3

Compound	CN (ppm)	C (ppm)		Aromatic carbons (ppm)	-OCH3
1	113,112	83	160	134,131	-
2	113,111	83	160	122,128,132,133,150	-
3	113,114	78	159	164,124	55

In the ¹H NMR, A siglet appeared around 7.8 ppm shows aldehydic proton in the compounds 1-3anda singlet at 3.91ppm shows methoxy proton for compound 3.The signals are merged as multiplate for the aromatic and conjugated olefinic protons.The other signals are assigned for aromatic protons. In the ¹³C NMR, the signals around 113 ppm shows for presence of carbon of cyano group, the signals appeared around 83 ppm shows methylene carbon (=C<), the signals at 160 ppm assigned to aldehydic carbon(=CH) for compounds 1-3.A signal at 55 ppm shows methoxy carbon for compound 3.The other signals are assigned for aromatic carbons. Both ¹H and ¹³CNMR data are good agree with the literature.

MECHANISM

The proposed mechanism for the Knoevenagel condensation, catalyzed by the guava leaf extract, is depicted schematically. The acidic nature of the guava leaf extract facilitates the activation of malononitrile and the aromatic aldehyde, promoting their condensation and subsequent formation of the desired product. **Scheme 2. Shows** Mechanism of acid catalyzed knoevenagel condensation



Scheme 2.Mechanismofacid catalyzed knoevenagel condensation

CONCLUSION

In summary, this research underscores the potential of guava leaf extract as an efficient and eco-friendly catalyst for the Knoevenagel condensation. The synthesized products were meticulously characterized using various spectroscopic techniques, validating their structural integrity. This study not only offers a sustainable approach to organic synthesis but also harnesses the untapped potential of natural resources like guava leaves for chemical transformations.

References

- Gallos J, Discordia RP, Crispino GA, Li J, Grosso JA, Polniaszek V & True VC (2003). A mild and efficient synthesis of 4-aryl-quinolin-2(1H)-ones via a tandem amidation/Knoevenagel condensation of 2-aminobenzophenones with esters or lactones, Tetrahedron Letters 44(22): 4271-4273
- 2. Xing C & Zhu S (2004). Unexpected formation of tetrasubstituted 2, 3- dihydrofurans from the reactions of β -keto poly fluoroalkane sulfones with aldehydes, Journal of Organic Chemistry 69(19): 6486-6488.
- Tietze LF & Rackelmann N (2004). Domino reactions in the synthesis of heterocyclic natural products and analogs, Pure and Applied Chemistry 76(11): 1967-1983.
- 4. Rao PS &Vendataratnam RV (1991) Zinc chloride as a new catalyst for Knoevenagel condensation, Tetrahedron Letters 32(41): 5821-5822.
- Prajapati D & Sandhu JS (1993). Cadmium iodide as a new catalyst for Konevenagel condensation, Journal of the Chemical Society, Perkin Transactions 1, 1: 739-740.
- Lehnert, W. (1970). Verbessertevariante der Knoevenagel condensation mit TiCl₄/THF/pyridine (I). Alkyliden-undarylidenmaloesterbei 0-25°C, Tetrahedron Letters 11(54):4723-4724.
- Dai G, Shi D, Zhou L & Huaxue Y (1995) Knoevenagel condensation catalyzed by potassium fluoride/alumina, Chinese Journal of Applied Chemistry 12(2):104-108.
- Bhuiyan MMH, Hossain MI, Asharaful M & Mahmud MM (2012). Microwave assisted Knoevenagel condensation: Synthesis and antimicrobial activities of some arylidene-malononitriles, Chemistry Journal 2(1): 30-36.
- McNulty J, Steere JA & Wolf S (1998). The ultrasound promoted Knoevenagel condensation of aromatic aldehydes, Tetrahedron Letters 39(44): 8013-8016.
- Palmisano G, Tibiletti F, Penoni A, Colombo F, Tollari S, Garella D, Tagliapietra S & Cravotto G (2011). Ultrasound-enhanced one-pot synthesis of 3-(Het) arylmethyl-4-hydroxycoumarins in water, Ultrasonics Sonochemistry 18(2): 652-660.
- 11. Pratap UR, Jawale DV, Waghmare RA, Lingampalle DL & Mane RA (2011). Synthesis of 5-arylidene-, 2,4-thiazolidinediones by Knoevenagel condensation catalyzed by baker's yeast, New Journal of Chemistry 35(1):49-51.
- 12. Wang C, Guan Z & He Y (2011). Biocatalytic domino reaction synthesis of 2H-1-benzopyran-2-one derivatives using alkaline protease from Bacillus

licheniformis, Green Chemistry 13(8): 2048-2054.

- Xia Y, Yang Z-Y, Brossi A & Lee K-H (1999). Asymmetric solid phase synthesis of (3R, 4R)-di-Ocis-acyl 3-carboxyl khellactones, Organic Letters 1(13): 2113-2115.
- 14. Guo G, Arvanitis EA, Pottorf RS & Player MP (2003). Solid phase synthesis of a tyrphostin ether library, Journal of Combinatorial Chemistry 5(4): 408- 413.
- Ying A-G, Liu L, Wu G-F, Chen X-Z, Ye W-D, Chen J-H & Zhang K-Y (2009). Knoevenagal condensation catalyzed by DBU Bronsted ionic liquid without solvent, Chemical Research in Chinese Universities 25(6): 876-881.
- 16. Khan FA, Dash FJ, Satapathy R & Upadhyay SK (2004). Hydrotalcite catalysis in ionic medium: a recyclable reaction system for heterogeneous knoevenagel and nitroaldol condensation, Tetrahedron Letters 45(15): 3055- 3058.
- Bigi F, Conforti ML, Maggi R, Piccinnoa Sartori G (2000). Clean synthesisin water: Uncatalysed preparation of ylidenemalonitriles, Green Chemistry 2(3): 101-103.
- Mallik, A.K., Pal, R., Guha, C., and Mallik, H. (2012). A convenient, eco- friendly, and efficient method for synthesis of bis (3-indolyl)methanes "On- water". Green Chem. Lett. Rev., 5(3), pp. 321-327
- Guillemin, J. C., Breneman, C. M., Joseph, J. C., & Ferris, J. P. (1998). Regioselectivity of the photochemical addition of ammonia, phosphine, and silane to olefinic and acetylenic nitriles. Chemistry - *A European Journal*, 4, 1074-1082. DOI: 10.1002/(sici)1521-3765(19980615)4:6 (1074::aidchem1074) 3.0.co;2-b..
- 20. M. Hranjec, G. Pavlovic, M. Marjanovic, M. Kralji G. Karminski Zamola, (2010). Benzimidazole derivatives related to 2,3-acrylonitriles, benzimidazo[1,2-a] quinolines and fluorenes: synthesis, antitumor evaluation in vitro and crystal structure determination 45(6):2405-2417
- 21. Manimekalai, A, & Balamurugan, A. (2011). Studies of monocyclic and bicyclic arylacetonitriles. Magnetic Resonance in Chemistry 49(5) 262-278.
- Manimekalai, A,. & Balamurugan, A. (2011). Structural and Computational studies of 2, 5diarylpenta-2, 4-dienenitriles. Journal Molecular Structure 995, 78-90.

- Pravin Chavan, Pravinkumar Nagore, Kanchan Mane, Sachin Bangale (2015). Knoevenagel Condensation by Employing Natural Catalyst- A Green Chemistry Approach 4(I-3), 34-38
- Ramesh, E., & Raghunathan, R. (2009). Micowave assisted K-10 Montmorillonite Clay-Mediated Knoevenagel Hetero-Diels-Alder Reactions: A Novel Protocol for the Synthesis of Polycyclic Pyrano [2, 3, 4-kl] xanthene Derivatives. Synthetic communications[®], 39(4), 613-625.
- 25. Habibi, D., & Marvi, O. (2006). Montmorillonite KSF and Montmorillonite K-10 clays as efficient catalysts for the solventless synthesis of bismaleimides and bisphthalimides using microwave irradiation. Arkivoc, 13, 8-15.
- 26. Chakrabathy, M., Mukherji, A., Arima, S., Harigaya, Y., & Pilet, G. (2009).
- 27. M.B Deshmukh, Sureshs. Patil, S. Djadhav, and P.B. Pawar; green approach for knoevenagel c ondensation of aromatic aldehydes with active methylene group. Synthetic communication, 42:1177-1183, 2012
- Suresh s patil. Swati d jadhav and M. bdeshmukh. Eco-friendly andeconomic method for knoevenagel condensation by employing natural catalyst, Indian journal of chemistry Vol.52b; august 2013, pp1172-1175.
- 29. Rammohan Pal. (2023). Visible light-induced Knoevenagel condensation: A clean and efficient protocol using aqueous fruit extract of *Tamarindus indica* as a catalyst. *International Journal of Advanced Chemistry*, 15(4), 256-263.
- Krishnappa B. Badiger, Santosh Y. Khatavi, Prashant B. Hiremath and Kantharaju Kamanna (2022) Agro-Waste Sourced Catalyst as an Eco-Friendly and Sustainable Approach for Knoevenagel Condensation Reaction 9, (2),179-194.
- Prerna Ganwir, Ishwari Kale, Ganesh Chaturbhuj. (2022). Wet copper-slag: A new and eco-friendly catalyst for Knoevenagel condensation. Sustainable Chemistry and Pharmacy. 25, 100614. https://doi.org/10.1016/j.scp.2022.100614
- 32. Kim Sh. Kaneria M, Chanda S (2011) Phytochemical and Pharmacognostic Evaluation of Leaves of Psidium guava. (Myrtaceae). Pharmacog 23: 32-41.

How to cite this article:

Balamurugan. A., Mahalakshmi, M and Rama. M, (2023). Green Approach to Knoevenagel Condensation Using Guava Leaf Extract as a Catalyst. *Int J Recent Sci Res.* 14(12), pp. 4378-4381.
