



ISSN: 0976-3031

Available Online at <http://www.recentscientific.com>

International Journal of Recent Scientific Research
Vol. 7, Issue, 8, pp. 12788-12790, August, 2016

**International Journal of
Recent Scientific
Research**

Review Article

EFFECTS OF MISWAK-SALVADRA PERSICA ON ORAL HEALTH-A REVIEW ARTICLE

**Ahtesham Ahmed qureshi¹, Aijaz ahmad qureshi², Amol Dohipoide³ and
Nilofar Nawab. Jamadar⁴**

^{1,3,4}Department of Oral and Maxillofacial Surgery MIDSR Dental College, Latur

⁴Research Scientist and Biologist Srinagar Kashmir

ARTICLE INFO

Article History:

Received 15th May, 2016

Received in revised form 25th June, 2016

Accepted 23rd July, 2016

Published online 28th August, 2016

Key Words:

Antimicrobial agent; Tooth Brushing, Oral Hygiene, Miswak, Salvadora Persica

ABSTRACT

For centuries to improve dental health and to promote oral hygiene plants and plant products in various forms have been used in several communities throughout the world. “Miswak” is an Arabic word meaning “tooth-cleaning stick,” and *Salvadora persica* miswak has a wide geographic distribution. It was used by ancient Arabs to whiten and polish the teeth. This review article discusses the history and chemical composition of *Salvadora persica* miswak and its influence on oral health, including the advantages and disadvantages of its use.

Copyright © Ahtesham Ahmed qureshi et al., 2016, this is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

INTRODUCTION

Good oral health has a major influence on one's general quality of life and well-being. With the increasing incidence of oral diseases, the global need for alternative prevention and treatment methods and safe, effective, and economical products has expanded. The use of a tooth brush in combination with dentifrices is one of the most common methods of cleaning teeth.

The evolution of the modern toothbrush may be traced to chewing sticks that were used by Babylonians as early as 3500 BC, and to toothpicks that were chewed onto help clean the teeth and mouth and were discussed in ancient Greek and Roman literatures¹. Chewing sticks are prepared from a variety of plant species and are customarily used for cleaning teeth in Asia, Africa, South America, and the Middle East². Western travelers and explorers described the use of chewing sticks by men and women in the Sahara region and Sudan³. The inhabitants of these regions would clean their teeth diligently whenever they had a chance to sit down for social gatherings. Chewing sticks are known by different names in different cultures: “arak” or “miswak” in Arabic, “koyoji” in Japanese, “qesam” in Hebrew, and “mastic” in Latin³. The availability, low cost, simplicity, and religious and/or traditional associations of chewing sticks have made them popular through modern times.

Chewing sticks may play a role in the promotion of oral hygiene, and further evaluation of their effectiveness is warranted, as stated in the 2000 World Health Organization (WHO) Consensus Report on Oral Hygiene⁴. “Miswak” (synonyms in different Arabic dialects and countries include “miswaak,” “miswak,” “miswaki,” “meswak,” “mswaki,” “sewak,” “siwak,” and “siwaki”) is an Arabic word meaning tooth-cleaning stick⁵. The spread of Islamic culture had a significant influence on the propagation and use of miswaks, which was a pre-Islamic practice, in different parts of the world³. Among at least 182 plant species suitable for preparing tooth brushing sticks, miswak harvested from *Salvadora persica*, are used most extensively⁶. The roots, twigs, and stems of this plant have been used for oral hygiene² and small *S. persica* sticks have been used as toothpicks⁷.

S. persica has a wide geographic distribution ranging from Rajasthan (India), Nepal, and Malaysia in the east through Pakistan, Iran, Iraq, Saudi Arabia, and Egypt to Mauritania in the west, and from North Africa through Sudan, Ethiopia, and Central Africa to southwestern Africa^{1,8}. Taking into account the historical importance of the use of *S. persica* miswak in the field of oral hygiene, the present review is an attempt to remind readers of the enormous contributions that this practice has made to dentistry, with an input from the most recent literature, and to describe the major aspects of its influence on oral health, including its disadvantages.

*Corresponding author: **Ahtesham Ahmed qureshi**

Department of Oral and Maxillofacial Surgery MIDSR, Dental College, Latur

Chemical Composition

Chemical analysis of *s.persica* miswak has demonstrated the presence of B-sitosterol and m-anisic acid, chlorides, organic compounds like pyrrolle, pyrrolidine, glycosides such as salvoside, flavonoid.etc. The roots are composed of 27% ash, a high ratio of alkaloids like salvovadine, chlorides, fluorides and vitamins.^{9,10,11} *S.persica* miswak contains nearly 1.0 mg/g of total fluoride and release significant amounts of calcium and phosphorus into water on chewing, besides it also releases sap which has anticariogenic effect.^{12,13}

Other compounds isolated from *s.persica* miswak by various researchers include, BITC(benzylisothiocyanate), which is an end product obtained from hydrolysis of glucosinate present in the plant and it has been found to have both bacteriocidal as well as virucidal activity against Herpes simplex virus.^{14,15}

Vitamin c and sulphur have been found to aid in tissue healing where as silicon acts as an abrasive and tannins have astringent actions by inhibiting action of glycosyl transferase and thus decreases plaque and gingivitis.^{16,17} salvadorine an alkaloid has bacteriocidal effect, the bitter taste of essential oils stimulates salivary flow which has buffering action and the high content of chlorides inhibits calculus formation and aids in stain removal from teeth.^{16,17,18}

Antimicrobial Effects

Various in vitro studies have showed that the aqueous extract of *s.persica* miswak has an inhibitory effect on growth of candida albicans owing to its sulphate content.^{19,20} It has anti microbial effect on streptococcus mutans and E-faecalis due to interaction with bacteria which prevents its attachment with tooth surface.^{16,21}

The anti microbial activity was hypothesized due to the presence of anionic compounds which prevent salivary peroxide thiocyanate and hydrogen peroxidase anti microbial systems .this is the reason why some researchers have recommended the use of *s.persica* miswak extracts in mouth rinses and tooth pastes owing to its immense antimicrobial property.^{20, 22,23}

Anti Cariogenic Effects

It has been found that *s.persica* miswak has anti-decay effects and in some populations in African and Arabian countries miswak users have shown lower caries prevalence than tooth brush users.^{24, 25}

According to data collected from various studies across the world the incidence of caries in school going children was much less compared to tooth brush users.^{2,26} The pungent smell and chewing effects enhances its buffering capacity by increasing saliva secretion in mouth and raising the plaque PH thus inhibiting growth of cariogenic bacteria.²⁷

Effect on Dental Plaque and Over All Periondal Status

Various experts in their studies have found that the use of *s.persica* miswak effectively reduced gingivitis and dental plaque. They have recommended its use in various preventive dental programmes as its economic and familiar with old people.^{12,28}

The combined effect of mechanical cleansing and enhanced salivation achieved with proper use of *s.persica* miswak was found to be more efficient than tooth brushes in removing dental plaque.^{27, 29} In some studies it was concluded that comparing *s.persica* with chlorhexidine, the anti plaque effect and sub sequent decrease in gingival inflammation was equally significant in both the users.^{17,29}

Oral Hygiene

The value of *s.persica* miswak is mainly attributed to its property of mechanical cleaning action, there by decreasing plaque accumulation and gingival inflammation.¹⁶ Miswak is generally used for more duration of time than brush which explains its more effectiveness than tooth brush due to mechanical effects of fibers and release of favourable chemicals when chewing stick or combination of both.^{27,30,31}

Disadvantages

Although *s.persica* miswak is considered to be an excellent aid in maintaining oral hygiene, it also has got its limitations and drawbacks compared to tooth brush which various researchers have mentioned in their studies. As bristles lie in long axis of tooth compared to perpendicular pattern in brush it is always difficult to reach the lingual surfaces of teeth. As it is used for more duration than brush particularly in anterior teeth, it excessively scrubs the tooth surfaces and causes gingival recession.^{8, 32}

CONCLUSION

Based on our review of literature, we conclude that the use of *s.persica* miswak as an oral hygiene aid is very effective. Various clinical studies have demonstrated the beneficial effects of *s.persica* miswak in maintenance of oral health and periodontal status of teeth. Thus we recommend the use of *s.persica* miswak along with tooth brush and paste in superior oral health and hygiene owing to its low cost, easy availability and simplicity in use.

References

1. C. Wu, I. Darout, N. Skaug; Chewing sticks: timeless natural toothbrushes for oral cleansing, *J. Periodontal. Res.*, 36 (5) (2001), pp. 275–284.
2. M. Elvin-Lewis; Plants used for teeth cleaning throughout the world, *J. Prev. Dent.*, 6 (1980), pp. 61–70.
3. G. Bos, Themiswak, an aspect of dental care in Islam; *Med. Hist.*, 37 (1) (1993), pp. 68–79.
4. WHO., 2000. Consensus statement on oral hygiene. *Int Dent J.* 50, 139.
5. A. Mohammad, J. Turner In vitro evaluation of Saudi Arabian toothbrush tree (*Salvadora persica*) *Odontostomatol. Trop.*, 6 (3) (1983), pp. 145–148
6. M. Elvin-Lewis; The therapeutic potential of plants used in dental folk medicine, *Odontostomatol. Trop.*, 5 (3) (1982), pp. 107–117.
7. F. Ezoddini-Ardakani; Efficacy of Miswak (*salvadora persica*) in preventing dental caries, *Health*, 2 (5) (2010), pp. 499–503
8. Khoory; The use of chewing sticks in preventive oral hygiene, *Clin. Prev. Dent.*, 5 (1983), pp. 11–14.

9. A. Ray, L. Chand, S. Dutta; Salvadourea. New urea derivative from Salvadorapersica; Chem. Ind., 12 (1975), pp. 517–518.
10. M. Kamel, K. Ohtani, M. Assaf; Lignan glycosides from stems of Salvadorapersica, Phyto chemistry, 31 (1992), pp. 2469–2471.
11. M. Farooqi, J. Srivastava; The toothbrush tree (Salvadorapersica), J. Crude Drug Res., 8 (1968), pp. 1297–1299
12. D. Char, A. Dogao, M. Dogan; SEM, XRF, and EMPA evaluation of Middle Eastern toothbrush “Salvadorapersica”, J. Elect. Micro. Tech., 5 (1987), p. 145
13. K. Almas, T. al-Lafi; The natural toothbrush, World Health Forum, 16 (2) (1995), pp. 206–210
14. N. al-Bagieh; Anti-Herpes Simplex Virus type I activity of benzylisothiocyanate Biomed. Lett., 47 (1992), pp. 67–70
15. N. Al-Bagieh, E. Weinberg; Benzolisoithiocyanate: a possible agent for controlling dental caries. MicrobiosLett., 39 (1988), pp. 143–151.
16. K. Almas; Miswak (chewing stick) and its role in oral health, Postgraduate Dent., 3 (1993), pp. 214–218.
17. M. Gazi, T. Davies, N. al-Bagieh, S. Cox; The immediate- and medium-term effects of Meswak on the composition of mixed saliva, J. Clin. Periodontol., 19 (2) (1992), pp. 113–117.
18. M. Akhtar, M. Ajmal; Significance of chewing sticks (miswaks) in oral hygiene from a pharmacological viewpoint; J. Pak. Med. Assoc., 31 (1981), pp. 89–95
19. F. Al-Bayati, K. Sulaiman; In vitro antimicrobial activity of *Salvadorapersica* L. extracts against some isolated oral pathogens in Iraq, Turk. J. Biol., 32 (2008), pp. 57–62.
20. T. Al Lafi, H. Ababneh; the effect of the extract of the miswak (chewing sticks) used in Jordan and the Middle East on oral bacteria, Int. Dent. J., 45 (1995), pp. 218–222.
21. K. Almas, The antimicrobial effects of extracts of *Azadirachtaindica* (Neem) and *Salvadorapersica* (Arak) chewing sticks; Indian J. Dent. Res., 10 (1) (1999), pp. 23–26.
22. Darout, J. Albandar, N. Skaug, Periodontal status of adult Sudanese habitual users of miswak chewing sticks or toothbrushes; Acta. Odontol. Scand., 58 (1) (2000), pp. 25–30.
23. H. Poureslami, A. Makarem, F. Mojab; Paraclinical effects of miswak extract on dental plaque, Dent. Res. J., 4 (2007), pp. 106–110.
24. R. Emslie; A dental health survey in the Republic of the Sudan, Br. Dent. J., 120 (4) (1966), pp. 167–178.
25. M. Eid, H. Selim, A. al-Shammery; The relationship between chewing sticks (Miswak) and periodontal health. 3. Relationship to gingival recession; Quintessence Int., 22 (1) (1991), pp. 61–64.
26. M. Norton, M. Addy; Chewing sticks versus toothbrushes in West Africa. A pilot study. Clin. Prev. Dent., 11 (3) (1989), pp. 11–13.
27. F. Hattab; Meswak: the natural toothbrush; J. Clin. Dent., 8 (5) (1997), pp. 125–129.
28. V. Baghdady, L. Ghose; Comparison of the severity of caries attack in permanent first molars in Iraqi and Sudanese schoolchildren, Community Dent. Oral Epidemiol., 7 (6) (1979), pp. 346–348.
29. J. Hardie, K. Ahmed; Themiswak as an aid in oral hygiene, J. Phillip. Dent. Assoc., 47 (1995), pp. 33–38.
30. A. Hooda, M. Rathee, J. Singh; Chewing Sticks In The Era Of Toothbrush: A Review; Internet J. Family Pract., 9 (2) (2010).
31. R. Tubaishat, M. Darby, D. Bauman, C. Box; Use of miswak versus toothbrushes: oral health beliefs and behaviours among a sample of Jordanian adults, Int. J. Dent. Hyg., 3 (3) (2005), pp. 126–136.
32. N. Hollist; The technique and use of chewing stick; Odontostomatol. Trop., 4 (3) (1981), pp. 171–174.

How to cite this article:

Ahtesham Ahmed qureshi *et al.* 2016, Effects of Miswak-Salvadra Persica on Oral Health-A Review Article. *Int J Recent Sci Res.* 7(8), pp. 12788-12790.